Effective Date: 2021/01/28 DG2141490E

SAFETY DATA SHEET

ARSENIC

7<9BN<CI 7<9BL = A9H5@7C 'Z@H8"

According to GHS (Eighth Revised Edition)



Section 1 **Product and Company Identification**

> Product Identifier

Product Name ARSENIC

Synonyms

CAS No. 7440-38-2 EC No. 231-148-6

Molecular Formula As

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified

Please consult manufacturer. Uses

Please consult manufacturer. **Uses Advised Against**

> Details of the Supplier of the Safety Data Sheet

Applicant Name CHENZHOU CHENXI METAL CO., LTD.

Application Address SHUIXIEHUATING, QINGNIAN AVE, CHENZHOU, HUNAN, CHINA

423000 **Applicant Post Code**

Applicant Telephone +86-735-5886796

Applicant Fax

Applicant E-mail SALES@CHENZHOUMETAL.COM

Supplier Name CHENZHOU CHENXI METAL CO., LTD.

Supplier Address SHUIXIEHUATING, QINGNIAN AVE, CHENZHOU, HUNAN, CHINA

Supplier Post Code 423000

Supplier Telephone +86-735-5886796

Supplier Fax

Supplier E-mail SALES@CHENZHOUMETAL.COM

> Emergency Phone Number

Emergency Phone +86-735-5886796

Number

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the eighth revised edition):

> GHS Hazard Class

Acute Toxicity – Oral Category 3 Acute Toxicity -Category 3

Inhalation

Carcinogenicity Category 1

Hazardous To The

Aquatic Environment
- Short-Term (Acute)

Category 1

Hazard

Hazardous To The Aquatic Environment

Long-Term(Chronic) Hazard

Category 1

> GHS Label Elements

Pictogram

Signal Word Danger

> Hazard Statements

H301Toxic if swallowedH331Toxic if inhaledH350May cause cancer

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

> Precautionary Statements

Prevention

P203 Obtain,read and follow all safety instructions before use.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash contact area thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection/hearing protection.

Response

P316 Get emergency medical help immediately.
P318 IF exposed or concerned,get medical advice.

P320 Specific treatment is urgent (see measures on this label).

P321 Specific treatment (see measures on this label).

P330 Rinse mouth.P391 Collect spillage.

P301+P316 IF SWALLOWED:Get emergency medical help.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Storage

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

Section 3 Composition/Information on Ingredients

Concentration (weight CAS No. EC No. Component percent, %) 231-148-6 **ARSENIC** Commercial secrets 7440-38-2

Section 4 First Aid Measures

> Description of First Aid Measures

Immediate medical attention is required. Show this safety data sheet (SDS) to **General Advice**

the doctor in attendance.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a **Eve Contact**

physician if feel uncomfortable.

Take off contaminated clothing and shoes immediately. Wash off with plenty of **Skin Contact**

water for at least 15 minutes and consult a physician if feel uncomfortable. Do not induce vomiting. Never give anything by mouth to an unconscious

Ingestion person. Call a physician or Poison Control Center immediately.

Move victim into fresh air. If breathing is difficult, give oxygen. Do not use

mouth to mouth resuscitation if victim ingested or inhaled the substance. If not Inhalation

> breathing, give artificial respiration and consult a physician immediately. Ensure that medical personnel are aware of the substance involved. Take

Protecting of First-aiders

precautions to protect themselves and prevent spread of contamination. > Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

1 Treat symptomatically.

2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media

Suitable Extinguishing

Dry chemical, carbon dioxide or alcohol-resistant foam. Media

Unsuitable

Do not use a solid water stream as it may scatter or spread fire. **Extinguishing Media**

> Specific Hazards Arising from the Substance or Mixture

- 1 May emit poisonous fumes on fire.
- **2** Containers may explode when heated.
- **3** Fire exposed containers may vent contents through pressure relief valves.
- 4 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- **2** Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

> Personal Precautions, Protective Equipment and Emergency Procedures

Section 6 Accidental Release Measure

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- **3** Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- **5** Take precautionary measures against static discharges.

> Precautions for Storage

- **1** Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- **3** Keep away from heat/sparks/open flames/ hot surfaces.
- **4** Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

Component	Country/Posion	Limit Value	e - Eight Hours	Limit Value - Short Term		
	Country/Region	ppm	mg/m³	ppm	mg/m³	
ARSENIC 7440-38-2	USA - OSHA	-	0.01	-	-	
	South Korea	-	0.01	-	-	
	New Zealand	-	0.05	-	-	
	Ireland	-	0.01	-	-	
	Denmark	-	0.01	-	0.02	
	Australia	-	0.05	-	-	

Biological Limit Values

No information available

Monitoring Methods

EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300

Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

1 Ensure adequate ventilation, especially in confined areas.

2 Ensure that eyewash stations and safety showers are close to the workstation location.

3 Use explosion-proof electrical/ventilating/lighting/equipment.

4 Set up emergency exit and necessary risk-elimination area.

Personal Protection Equipment

Body

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to **Hand Protection**

EN 374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are

experienced, use a full-face respirator with multi-purpose combination (US) or **Respiratory protection**

type AXBEK (EN 14387) respirator cartridges.

Skin and

Protection

Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 **Physical and Chemical Properties**

Appearance: Gray black crystalline **Odor:** No information available **Odor Threshold:** No information available pH: No information available

Melting Point/Freezing Point (°C): 817 Initial Boiling Point and Boiling Range (°C): 613

Flash Point (°C)(Closed Cup): Not applicable **Evaporation Rate:** Not applicable

Upper/lower explosive limits[%(v/v)]: Upper limit: Flammability: No information available No information available: Lower limit: No information

available

Vapor Pressure (KPa): Not applicable Relative Vapour Density(Air = 1): Not applicable

Relative Density(Water=1): 5.7 Solubility: Insoluble in water

n-Octanol/Water Partition Coefficient: No

information available

Decomposition Temperature (°C): No information

available

Particle characteristics: No information available

Auto-Ignition Temperature(°C): 180

Kinematic Viscosity (mm²/s): Not applicable

Section 10 **Stability and Reactivity**

Reactivity Contact with incompatible substances can cause decomposition or other

chemical reactions.

Chemical Stability Stable under proper operation and storage conditions.

Possibility of

Mixtures with metallic acetylene, when heated, cause a fire or incandescence. **Hazardous Reactions**

Conditions to Avoid Incompatible materials, heat, flame and spark.

Incompatible Materials Metal acetylide, halogen, interhalogen, halogen oxides, nitric acid, nitrous

oxide, nitrates, nitrites, halogen oxyacid salts, chromates, permanganates,

inorganic peroxides, metal oxides and peroxyformic acid.

Hazardous Decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)
ARSENIC 74	7440-38-2	762ma/ka/Dat)	No information	No information
	7440-36-2	763mg/kg(Rat)	available	available

> Skin Corrosion/Irritation

No information available

> Serious Eye Damage/Irritation

No information available

> Skin Sensitization

No information available

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	7440-38-2	ARSENIC	Category 1	Not Listed

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

No information available

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and Degradability

No information available

Bioaccumulative Potential

No information available

Mobility in Soil

No information available

Results of PBT and vPvB Assessment

ARSENIC does not meet the criteria for PBT and vPvB according to Regulation

(EC) No 1907/2006, annex XIII.

Section 13 Disposal Considerations

Waste Chemicals Before disposal should refer to the relevant national and local laws and

regulation. Recommend the use of incineration disposal.

Contaminated Packaging Disposal Recommendations

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Refer to section 13.1 and 13.2.

Section 14 Transport Information

Transporting Label



Marine pollutant Yes

UN Number 1558

UN Proper Shipping

ARSENIC Name

Transport Hazard Class Transport Subsidiary

6.1

Hazard Class

NONE

Packing Group П

Section 15 **Regulatory Information**

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS	
-----------	--------	------	-----	-------	-------	-------	------	------	------	--

ARSENIC V V V V V	√ ×	×
-------------------	-----	---

【EINECS】 European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

【IECSC】 China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.[AICS] Australia Inventory of Chemical Substances.[ENCS] Existing And New Chemical Substances.

Note

"√" Indicates that the substance included in the regulations

"x" That no data or included in the regulations

Section 16 Additional Information

 Creation Date
 2021/01/28

 Revision Date
 2021/01/28

Reason for Revision

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.